



## Color Document Scanner **KV-S5055C**

# Exquisite



### **ToughFeed** Innovative Paper Feed Mechanism

- Stapled Document Detection
- Ultrasonic Double-Feed Detection
- Superior Roller Mechanisms

- Mixed Document Feeding
- Long Paper Mode
- 90 ppm / 180 ipm\*  
\* Letter, Landscape, 200 dpi, Binary/Color
- High-Volume, 200-page ADF
- Self Cleaning Functions
  - Ionizer **NEW**
  - Scanning Glass Cleaning Brush **NEW**

**Panasonic ideas for life**

# Boost Your Business Efficiency with a Ledger-Size, High-Speed Scanner

The fast 90-ppm\* scan speed and 200-page Automatic Document Feeder are ideal for both large-volume scanning and dispersed input. ToughFeed, Panasonic's unique paper feed mechanism, also helps to minimize damage to important documents and ensures more precise feeding.


\* Letter, Landscape, 200 dpi, Binary/Color.



## ToughFeed Innovative Paper Feed Mechanism

### Stapled Document Detection Preventing Damage to the Scanning Glass


Multiple sensors are used to detect various types of stapled documents, and to immediately stop the scanner when stapling is detected. This minimizes damage to both the document and the optical glass.



Staples are quickly and accurately detected, to minimize damage to the optical glass and the document.


### Ultrasonic Double-Feed Detection Accurate Scanning

The KV-S5055C is equipped with an ultrasonic sensor, which accurately detects double-feeding even when scanning documents of various thicknesses. When detected, the ultrasonic sensor prevents double-feeding by immediately stopping the scanning process.



### Superior Roller Mechanisms Precise Feeding

The paper feed rollers separate from the paper each time a sheet is fed, so the tendency to double-feed caused by the paper feed roller pressure is reduced, even when feeding paper of different thicknesses. Any paper sliding is also detected and the double feed prevention roller pressure is adjusted to prevent the paper from slipping and jamming.



### Double Feed Skip (DFS) Key **NEW**

Should a scan operation stop due to the detection of double-feeding, simply press the DFS key to resume scanning. This is convenient when you don't want scanning to stop due to documents with things like receipts or sticky notes attached, or envelopes.



Documents for Which Scanning Shouldn't Be Stopped Even When Double-Feeding Is Detected



Envelopes



Documents with Sticky Notes Attached






# Image Capture Plus Enables Versatile Image Processing

Image Capture Plus is an application that transfers image data scanned by a Panasonic high-speed document scanner to a PC in the form of an image file. This software lets you edit scanned pages (switch pages, delete pages, etc.) intuitively using thumbnail images. It also allows you to make various settings to facilitate complex scanning processes and serves as a powerful tool for efficiently processing routine business work, such as filing.


## Intuitive Operation

Scanned images can be displayed page by page in a thumbnail list. Pages can be easily moved and their positions switched by dragging and dropping the thumbnails of the pages.

### Moving pages within a document



Use the mouse to drag the page to the position where you want to move it.



The page will move to the position that you dragged it to.




### E-mail Attachment


Scanned data can be directly attached to an e-mail with a single click of a button.

## Easy-to-Use Data Formats

Images can be saved in various data formats, such as PDF, JPEG, TIFF and Bitmap. Scanned data can be moved and saved in a selected folder all at once. Plus, PDF data and text-searchable data can be generated.



Select PDF (Searchable).



Text-searchable data is generated.

## PreScan

In the preview window, you can confirm what the scanned image will look like under the current scan settings. You can make fine adjustments to brightness, contrast and other parameters while looking at the final result, and then save the desired scan settings. This boosts work efficiency by preventing wasted scans.




## A Wealth of Image Processing Functions

### Automatic Image Orientation

No more worries about the document's direction


Even when documents are set in different directions, this function detects the direction of the scanned text in documents and automatically rotates it into the correct direction.



### Automatic Binary/ Color Distinction

No more need to pre-sort documents


Automatic Binary/ Color Distinction allows the scanner to recognize color and black and white pages. This feature reduces scan to file size while promoting a more efficient scanning process.



## Double Exposure

### Two-in-one convenience


Double Exposure automatically scans then saves two-sided documents into a single-page file. It is highly effective for documents printed on both sides, such as checks, stock certificates, post cards, and business cards.



## Blank Page Removal

### You can convert only the desired pages into electronic form


When scanning a set of documents that contains both single-sided and double-sided sheets, this function automatically skips over the blank sides.



## Automatic Crop and De-Skew

### Eliminates post-processing


When you scan documents of mixed sizes, the documents are automatically cropped and stored in the appropriate size. Also, skewed documents are automatically straightened when they are scanned.



## Multi Stream

### Single pass for dual output


The Multistream function enables a single scan to be saved as two separate formats simultaneously. For example the document will be saved in monochrome (B/W) for OCR and archival purposes, and saved as a full color image for short term on-screen retrieval.



## Dynamic Threshold

### Excellent readability and accuracy


With the Dynamic Threshold function, the background density and color are automatically detected section by section, and the scan setting (brightness control) is automatically adjusted to ensure sharp scanning of both text and images.



## Multi Color Dropout

### Convenient for OCR processing

Any of up to three specific color ranges on the document can be selected as a dropout color. This function, when used in form processing applications, can greatly improve OCR performance and accuracy, resulting in increased productivity and potential cost savings.



## Hole Removal

### Punch holes from the document are removed from the image


The Hole Removal function removes the punch hole marks from the scanned image. Round or square black shapes around the edges are replaced with the color closest to the document.



## Smooth Background

### No more fuzzy backgrounds


The Smooth Background function analyses images while scanning for background color content, and outputs the images with the background color solidified. This increases viewing clarity and reduces JPEG output file size.



## 2-Page Separation

### Easily get the data you need from each page


2-Page Separation automatically divides the single image into two single sheets. Dividing scanned documents saves time and trouble because it makes complex editing operations unnecessary.



## Self Cleaning Functions


### Ionizer **NEW**

The ion-filled breeze created by the ionizer neutralizes the electrical charge on the documents to be scanned, and reduces the amount of paper dust that clings to their surface. This ion-filled breeze also flows through the paper path and removes paper dust from the scanning glass to reduce the need for the user to clean the glass.



### Scanning Glass Cleaning Brush **NEW**

The brush directly cleans the scanning glass to further prevent paper dust. This eliminates the need for maintenance and ensures comfortable scanning operations.




## High-Reliability Scanning

### Mixed Document Feeding

Accurately Feeds Various Sized Documents

Documents with different sizes and thicknesses can all be fed together. They can be set in center, left, or right alignment. By using left or right single-side alignment, there is no more need to spend time organizing documents according to their size, so scanning is fast and easy. This function greatly increases work efficiency.




The scanner feeds accurately, regardless of alignment.

### Long Paper Mode

High-Speed Scanning of Sheets up to 100 feet Long


The highly reliable paper feed mechanism quickly and stably scans long documents. This function boosts work efficiency by smoothly scanning long documents like continuous business forms or electrocardiograms.



### Pre-Imprinter

Raises filing efficiency

The pre-imprinter prints text (date and/or number) onto the surface of a document before its image is scanned, so the text data is included in the scanned image data. This improves filing efficiency.



## Optional Flatbed Scanner

### Single User Interface

Easily Scan Documents and Booklets

By selectively using the KV-S5055C and the optional KV-SS080,\* you can easily scan documents and booklets, and save them in the same document.

\*To operate the KV-SS080, the KV-S5055C is required.  
The KV-SS080 does not operate as a standalone unit.



### Multi-Crop

Save Time by Reducing the Number of Scans


Place various sized documents on the flatbed and scan them all at once, then crop whatever parts you need. This is convenient for scanning multiple business cards and thick documents.





## Easy Maintenance

The clamshell design allows full, easy access to the entire paper path, so you can clear paper jams, clean the unit, or replace a roller easily without having to call a service technician.



Rollers are easy to replace.

## KV-S5055C Specifications

Scanning Face		Duplex
Scanning Method		Front side: CCD (600 dpi) Back side: CCD (600 dpi) Selectable black and white background reference
Scanning Speed**	Binary / Color Letter size 200 dpi	Simplex Up to 75 ppm (Portrait) Up to 90 ppm (Landscape)
		Duplex Up to 160 ipm (Portrait) Up to 180 ipm (Landscape)
	Binary / Color Letter size 300 dpi	Simplex Up to 50 ppm (Portrait) Up to 60 ppm (Landscape)
		Duplex Up to 100 ipm (Portrait) Up to 120 ipm (Landscape)
Resolution		100 - 600 dpi (1 dpi step), Optical: 600 dpi (Main and Sub feeding directions)
Detection		Ultrasonic double feed detection (1 position), Stapled document detection
Compression		JPEG (color, grayscale)
Tonal Gradation		Binary, Grayscale (8 bit), Color, MultiStream : Binary & Grayscale, Binary & Color
Binary Mode Halftone		Dither, Error diffusion
Image Control		Image emphasis, Dynamic threshold, Automatic separation, Invert, White level from paper
Other Functions		Length control, Barcode detection (ISIS), Patch code detection, Automatic separation, Control sheet, Long paper mode
Maximum Image Size		12.01 x 100 in. (305 x 2,540 mm)
Documents**	Size	Minimum 1.9 x 2.75 in. (48 x 70 mm)
		Maximum 11.7 x 17 in. (297 x 432 mm)
	Thickness	1.6 - 7.9 mils (0.04 - 0.2 mm) Note: 1 mil = 0.001 in.
	Weight	5 - 42 lbs. (20 - 157 g/m <sup>2</sup> )
Hopper Capacity		Up to 200 sheets (75 g/m <sup>2</sup> , 20 lbs.) New paper
Image Memory		Standard 32 MB Maximum Base memory plus 1 GB
Supported Operating System		Windows® XP, Windows Vista®, Windows® 7
Interface		USB 2.0
Power Requirement		AC 100 - 120 V, 50/60 Hz AC 220 - 240 V, 50/60 Hz
Power Consumption	Maximum (Scanning)	1.0 A (100 - 120 V), 0.5 A (220 - 240 V)
	Minimum (Standby)	0.4 A (100 - 120 V), 0.2 A (220 - 240 V)
	Sleep mode	3.5 W or less (100 - 120 V, 220 - 240 V)
Operating Environment	Temperature	59 - 86 °F (15 - 30 °C)
	Humidity	20 - 80 % RH
Storage Environment	Temperature	32 - 104 °F (0 - 40 °C)
	Humidity	10 - 80 % RH
External Dimensions** (W x D x H)		18.5 x 17.5 x 13.4 in. (468 x 444 x 339 mm)
Weight**		40 lbs. (18 kg)
Accessories		CD ROM : Device driver, Operation manual, Installation manual, Control data sheet, Image Capture Plus software, ISIS®/ TWAIN driver software, User utility software, Quick Scan Pro (DEMO) Installation manual, Power cord, Roller cleaning paper, Shading paper, USB cable (2.4 m) & Blower
Options	Roller exchange kit	KV-SS039 (Paper feed roller module, Double feed prevention roller)
	Roller cleaning paper	KV-SS03
	Imprinter unit (Pre)	KV-SS014
	Ink cartridge	KV-SS021
	Flatbed Scanner	KV-SS080

## High-Volume ADF

The ADF (Automatic Document Feeder) holds up to 200 sheets of paper to allow continuous scanning of large document runs.




## Optional Flatbed Scanner KV-SS080 Specifications

Scanning Type		Flatbed
Scanning Method		CCD
Scanning Resolution		100 - 600 dpi (1 dpi step)
Scanning Speed** Letter size 200 dpi		3.3 sec. (Binary and Color)
Paper Size		Maximum 8.5 x 11.7 in. (216 x 297 mm)
Interface		USB 2.0
Power Requirement		AC 100 - 240 V, 50/60 Hz
Power Consumption	Scanning	0.35 A (100 - 120 V), 0.2 A (200 - 240 V)
	Standby	0.25 A (100 - 120 V), 0.15 A (200 - 240 V)
	Sleep mode	3.5 W or less (100 - 120 V, 200 - 240 V)
Operating Environment	Temperature	59 - 86 °F (15 - 30 °C)
	Humidity	30 - 80 % RH
Storage Environment	Temperature	32 - 95 °F (0 - 35 °C)
	Humidity	10 - 80 % RH
Dimensions** (W x D x H)		11.3 x 20.4 x 3.3 in. (287 x 518 x 83.5 mm)
Weight**		7.5 lbs. (3.4 kg)
Accessories		CD-ROM: Operating manual AC adaptor, Power cord, USB cable


\*\* The scanning speed differs depending on the host computer, the operating system, the application, the measuring method, the quantity of data in the image, and the paper type. The scanning speed depends on a measuring method of Panasonic.  
\*\* Weight in pounds\* of paper represents the weight of 500 sheets (17 x 22 in. / 432 x 559 mm).  
Scan quality cannot be guaranteed for documents with a non-standard size.  
\*\* Dimensions and weights are approximate.

## Dimensions

### KV-S5055C



### KV-SS080




### Roller exchange kit KV-SS039



### Roller cleaning paper KV-SS03



### Imprinter unit (Pre) KV-SS014



### Ink cartridge KV-SS021



As an ENERGY STAR® Partner, Panasonic has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

Windows® and Windows Vista® are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. ENERGY STAR® and the ENERGY STAR certification marks are registered US marks. ISIS® and Quick Scan are registered trademarks or trademarks of EMC Corporation in the United States and other countries. All other brand or product names are the property of their respective holders. Design and specifications are subject to change without notice.



Panasonic System Networks Company of America

Three Panasonic Way, Secaucus, NJ 07094

For more information or to find a local dealer,  
visit [panasonic.com/scanners](http://panasonic.com/scanners)

This product is designed to reduce hazardous chemical substances along with the RoHS directive.

MG-C535US